

## **Mustang Center Console Installation Manual**

**Components List:**

- 1 x Center Console
- 4 x Bolts
- 4 x Washers
- 4 x Nuts

**Approximate Installation Time:**

1 Hour



**Installation Procedures:**






1. Remove the two (2) rear bolts that hold down the center console.






2. Unscrew the shift knob.



3. Remove the shifter boot assembly.

	<p>4. Pull up and remove the center carefully.</p>
	<p>5. Remove two (2) metal clips from the center console.</p>
	<p>6. Use a heat gun to heat up plastic mounting tabs on the e-brake bezel, and use a screw driver to pry the bezel away from the center console.</p>




	<p>7. The e-brake bezel should now be separated from the center console.</p>
	<p>8. Place the e-brake bezel into the new center console. The edge of the bezel should be approximately 3/4" from the opening as shown here.</p>
	<p>9. While holding the e-brake bezel in place, drill two (2) holes through the new center console on each end.</p>



10. The drilled holes are shown here.



11. Attach the e-brake bezel to the new center console using the bolts, nuts, and washers. The bolts attach from the top side, the nuts and washers attach on the bottom side.

	<p>12. Attach the two (2) metal clips to the new center console.</p>
	<p>13. Attach the new center console to the car. Press down at the front to secure the metal clips.</p>
	<p>14. Attach the rear bolts into the new center console.</p>
	<p><b>Installation is now complete!</b></p>